FixedHolder CM-HR

7 620 340 031

en Installation instructions

Contents

2 Important information
2 Agreed product use
3 Installation notes

3 Technical data

4 Device drawings

Important information

Before using the device, please read these instructions carefully and familiarize yourself with the device. Keep these instructions in your vehicle for later reference.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Agreed product use

The device has been designed for operation in a commercial vehicle.
The device must not be operated in any other environment or in an intended environment that is compromised e.g. by damage or malfunction.

Road safety
Make sure that your ability to drive is not impaired and your vision is not blocked by the device or the wiring connected to it.

Installation notes

Passenger safety
The chosen installation location of the device must ensure that the device itself as well as the installed monitor do not block any space reserved or required for passenger safety (such as escape routes) or access to installations or devices that provide safety functions (such as emergency car glass hammers or safety vest compartments).

Note:
Please also observe the information given in the device drawings at the end of this document.

Please observe the following installation notes:
- The device must be installed in the car interior.
- The device must be mounted to a solid, even surface.
- Only use suitable screws and washers for mounting the device.

Technical data

Operating temperature	-25 °C to +65 °C
Storage temperature	-25 °C to +75 °C
Dimensions (L x W x H)	Approx. 196 x 231 x 95 mm
Weight	Approx. 1.8 kg

Subject to changes!

Device drawings

The FixedHolder CM-HR documentation consists of:

- 7620 340 031 Technical customer documentation (TCD)
- User Manual (this document)
- TCD drawing

Together, all documents form the complete product documentation. Please note that all documented regulations and constrains have to be complied with when installing this product into coaches.

Robert Bosch GmbH
Robert-Bosch-Platz 1
70839 Gerlingen
Germany
www.bosch-professional-systems.com

09/20 – CVO/PRM-CM